

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (Currently amended): A method for distributed processing through a server and a remote client wherein an application is executed entirely in the server, wherein the application is configured to interact with a user interface toolkit according to an application programming interface, and wherein the user interface toolkit has a component that performs a function, the method comprising:

providing the user interface toolkit on the remote client ~~such that the~~ comprising a component ~~is configured~~ comprising code to perform ~~the~~ a function on the remote client, wherein said component is related to user interaction, and to generate an event coupled to said component in response to user interaction with said component;

providing a remote-capable user interface toolkit on the server comprising a remote-capable component which is configured to interact with the application according to the application programming interface and ~~which is configured~~ comprising code to generate a message to the component on the remote client to perform the respective function on the remote client;

invoking the remote-capable user interface toolkit by the application to perform ~~a~~ the function according to the application programming interface;

generating the message by the remote-capable component of the remote-capable user interface toolkit on the server in response to the invocation by the application, the message comprising a higher-level command to the user interface toolkit on the remote client to perform the function, such that the respective function is only performed at the remote client;

communicating the message between the remote-capable user interface toolkit on the server and the user interface toolkit on the remote client; and

performing the function on the remote client by the component of the user interface toolkit in response to the message.

Claim 2 (Original) The method of claim 1, wherein the component in the user interface toolkit is configured to render a graphical item and the remote-capable component is configured to generate a message to render the graphical item, and wherein communicating the message between the remote-capable user interface toolkit on the server and the user interface toolkit on the remote client comprises transmitting the message to the user interface toolkit on the remote client to render the graphical item.

Claim 3 (Original) The method of claim 2, wherein performing the function on the remote client by the component of the user interface toolkit comprises rendering the graphical item on the remote client in response to the message.

Claim 4 (Original) The method of claim 1, wherein the component in the user interface toolkit is configured to install an event handler and the remote-capable component is configured to generate a message to install the event handler, and wherein communicating the message between the remote-capable user interface toolkit on the server and the user interface toolkit on the remote client comprises transmitting the message to the user interface toolkit on the remote client to install an event handler.

Claim 5 (Original) The method of claim 4, wherein performing the function on the remote client by the component of the user interface toolkit comprises installing the event handler on the remote client in response to the message.

Claim 6 (Original) The method of claim 1, which further comprises:

generating an event by the remote-capable component of the remote-capable user interface toolkit in response to the ~~step of~~ invoking; and

wherein communicating the message between the remote-capable user interface toolkit on the server and the user interface toolkit on the remote client comprises asynchronously transmitting the event to the user interface toolkit.

Claim 7 (Original) The method of claim 6, wherein the application is a database searching application configured to search a database for information in response to a user-defined request,

wherein ~~the step of~~ generating an event by the remote-capable component of the remote-capable user interface toolkit comprises identifying information from the database in response to the user-defined request; and

wherein ~~the step of~~ asynchronously transmitting the event to the user interface toolkit comprises asynchronously transmitting a message to the remote client to render the information from the database identified in the ~~step of~~ generating an event.

Claim 8 (Original) The method of claim 7, wherein the application is a web browser and wherein the database is the World Wide Web,

wherein ~~the step of~~ identifying information from the database comprises identifying information from the World Wide Web; and

wherein ~~the step of~~ asynchronously transmitting a command to the remote client to render the information from the database comprises asynchronously transmitting a command to the remote client to render the information from the World Wide Web.

Claim 9 (Currently amended) The method of claim 1, wherein the step of providing a remote-capable user interface toolkit on the server further comprises:

providing a code-generating computer program configured to read ~~in~~ the code of ~~the a~~ component of the user interface toolkit and to generate the remote-capable component of the remote-capable user interface toolkit by substituting at least one portion of the code relevant to executing the function with at least one portion of code configured to issue a remote command to execute the function;

reading in the code of the component of the user interface toolkit;

generating the remote-capable component of the remote-capable user interface toolkit by ~~copying the code of the component and~~ by substituting said at least one portion

of the code relevant to executing the function with said at least one portion of code configured to issue the remote command to execute the function.

Claim 10 (Currently amended): A distributed computer system having at least one server and one remote client wherein the server executes the entire application on the server, wherein the application is configured to interact with a user interface toolkit according to an application programming interface, and wherein the user interface toolkit has a component that performs a function, the distributed computer system comprising:

a user interface toolkit on the remote client having a component ~~configured~~ comprising code to perform a function on the remote client, wherein said component is related to user interaction, and to generate an event coupled to said component in response to user interaction with said component;

a remote-capable user interface toolkit on the server having a remote-capable component which is configured to interact with the application according to the application programming interface, and ~~which is configured~~ comprising code to generate a message to the component on the remote client, the message comprising a higher-level command to perform the respective function on the remote client in response to an invocation of the function by the application, such that the respective function is only performed at the remote client;

a server configured to communicate the message between the remote-capable user interface toolkit on the server and the user interface toolkit on the remote client; and

a remote client comprising a processor configured to ~~performing~~ perform the function by the component of the user interface toolkit in response to the message.

Claim 11 (Original) The distributed computer system of claim 10, wherein the component in the user interface toolkit is configured to render a graphical item and the remote-capable component is configured to generate a message to render the graphical item

Claim 12 (Currently amended) The distributed computer system of claim 11, wherein the remote-capable user interface toolkit server is configured to communicate the message to the user interface toolkit on the remote client to render the graphical item via the server.

Claim 13 (Original) The distributed computer system of claim 12, wherein the component of the user interface toolkit on the remote client is configured to render the graphical item in response to the message.

Claim 14 (Original) The distributed computer system of claim 10, wherein the component in the user interface toolkit is configured to render an item and the remote-capable component is configured to generate a message to render the item.

Claim 15 (Currently amended) The distributed computer system of claim 14, wherein the remote-capable user interface toolkit server is configured to communicate the message to the user interface toolkit on the remote client to render the item via the server.

Claim 16 (Original) The distributed computer system of claim 15, wherein the component of the user interface toolkit on the remote client is configured to render the item in response to the message.

Claim 17 (Original) The distributed computer system of claim 10, wherein the component in the user interface toolkit is configured to install an event handler and the remote-capable component is configured to generate a command to install an event handler.

Claim 18 (Currently amended) The distributed computer system of claim 17, wherein the remote-capable user interface toolkit server is configured to communicate the message to the user interface toolkit on the remote client to install the event handler via the server.

Claim 19 (Original) The distributed computer system of claim 18, wherein the component of the user interface toolkit is configured to install the event handler on the remote client in response to the message.

Claim 20 (Original): The distributed computer system of claim 10:

wherein the remote-capable component of the remote-capable user interface toolkit is configured to generate an event in response to the ~~step of~~ invoking; and

wherein the server is configured to asynchronously communicate a message to generate the event to the user interface toolkit on the remote client.